

MiBOXER[®]

Mi • Light Subordinate New Brand

6W GU10 RGB+CCT LED Spotlight

Model No.: FUT106

Features



RGB+CCT

16 Millions of colors to choose



Color temperature

2700-6500K



Dimmable

Saturation control



Signal transmitting &

Modes synchronization



2.4G RF wireless transmission
technology



Remote control

Control distance 30m



Smart phone APP control


(2.4GHz gateway is needed)



Support third party voice control

(2.4GHz gateway is needed)

Instructions



6W GU10 RGB+CCT LED Spotlight

Model No.: FUT106

Power: 6W

Voltage: AC100~240V 50/60Hz

Working Temp.: -20~60°C

Color Temp.: 2700~6500K

Luminous Efficiency: 90LM/W

Luminous Flux: 550LM

CRI: >80 PF: 0.55

Lifespan: 50000h

Beam Angle: 30°

RF: 2.4GHz


Transmitting Power: 6dBm

Control Distance: 30m

Instructions


Step 1

Put the light bulb in the suitable lighting fixture.



Step 2: Link/Unlink

Compatible with these remote controls
(Purchased separately)



NOTE:

Lighting can be working after linking with remote;
for more details, pls read the remote instruction.

Dynamic Mode Sheet

| Number | Dynamic Mode | Brightness / Saturation / Speed |
|--------|------------------------|---------------------------------------|
| 1 | Mardi Gras | Adjustable |
| 2 | Automatic color change | |
| 3 | Sam | |
| 4 | Gemstone | |
| 5 | Twilight | |
| 6 | American | |
| 7 | Fat Tuesday | |
| 8 | Party | |
| 9 | Slow Color Splash | |


Signal transmitting & Modes synchronization

Signal transmitting

One lighting fixture can transmit the signals from the remote control to another lighting fixture within 30m, as long as there is a lighting fixture within 30m, the remote control distance can be limitless.

Modes synchronization

Different lighting fixture can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



Attention

1. When install the lighting fixtures, pls switch off the power to make sure the safty.
2. Please check whether the input voltage supply is in accordance with the lighting fixtures.
3. Non-professional user cannot dismantle the lighting fixtures directly, otherwise, it may cause fire and electric shock.
4. Please do not use lighting fixtures around the mental area and high magnetic field, otherwise, it will badly affect the control distance.



www.futlight.com

Made in China



Signal transmitting &
Modes synchronization