

1. Features

Product adopt the widely used 2.4GHz wireless technology with the features of low power consumption, long signal transmitting and strong anti-interference, etc. Widely used on the controlling of hotel lighting and home lighting.

RGB LED Light



16 Millions of colors to choose



Mix Red, Green and Blue light to adjust color temperature



Dim brightness / Saturation



2.4G RF wireless transmission technology



Remote control
Control distance 30m



Smartphone app control
(2.4GHz gateway is needed)



Support third party voice control
(2.4GHz gateway is needed)

RGBW LED Light



16 Millions of colors to choose



Dim brightness / Saturation / White mode



2.4G RF wireless transmission technology



Remote control
Control distance 30m



Smartphone app control
(2.4GHz gateway is needed)



Support third party voice control
(2.4GHz gateway is needed)

2. Dynamic mode table

M1. Fade in and fade out Here different colors fade into each other

M2. Strobe white
Just white color flashes up

M3. RGBW fade in fade out
This program fades in and fades out the color red, green, blue and white one after another

M4. Color flash
In this program, red, green, blue, white yellow purple flashes to change

M5. Disco
Different colors strobe and flash to change

M6. Red color ramp up and flash
In this program, red color brightens from 0%-100% and shuts down, then flashes three times

M7. Green color ramp up and flash
In this program, green color brightens from 0%-100% and shuts down, then flashes three times

M8. Blue color ramp up and flash
In this program, blue color brightens from 0%-100% and shuts down, then flashes three times

M9. Color change+flash
Here several colors fade into each other and then flash randomly

Note: The colors can be dimming under any mode, the speed of any mode can be adjustable. For RGB LED strip light, the white is mixed from red, Green and blue, so the white is not pure.

3. Linking Code / Unlinking Code Instructions

Linking Code Instructions



Linking failed if light is not blinking slowly, Please follow above steps again.
(Note: Light that have linked can't link again)

Unlinking Code Instructions



1

Switch off light, after 10 seconds then switch on again.



2

Short press " 1 " button 5 times within 3 seconds when light on.




3

Lights blink 10 times quickly means unlinking is done successfully.



Unlinking failed if light is not blinking quickly, Please follow above steps again.
(Note: Light haven't linked that don't need to unlink)

Compatible with these remote controls (Purchased separately)



4. Scan QR code to watch video instruction



Smartphone app control
(WL-Box1 video)



Third party voice control

5. Attention

1. Please check whether the voltage of the power supply is in accordance with the light, and please check the connection of both the cathode and anode, otherwise the light will be broken.
2. Please don't connect wires with power on. Please turn on again only when it is in right connection and no short circuit.
3. Non-professional user cannot dismantle the lighting fixtures directly.
4. Please do not use the light in the place with widely range metal area or strong electromagnetic wave nearby, otherwise, the remote distance will be seriously affected.

Made in China



Light can not
use in humid area