

2.4G Sunrise Remote (Color Temperature)

Model No.: S1-B / S1-W / S1-G

Features

This product adopt world-wide used 2.4GHz frequency, GFSK control method, with features of low power consumption, long distance transmitting, strong anti-interference and fast comunication rate. It can control color temperature and brightness of Mi-Light / MiBoxer 2.4G smart light.

Install The Battery For Remote

Note: 2*AAA Battery need to buy seperately



 Open battery cover behind remote.



Install battery correctly and close battery cover.

Button Diagram



Touch ring: brightness, color temperature, use together. (It turns to adjust brightness by default if remote is not operated for 3 seconds)

- Adjust color temperature Short press key once, then touch ◯ to adjust color temperature
- Adjust brightness Short press (w) key once, then touch () to adjust brightness.

Linking Code / Unlinking Code Instructions

You can control lights after linking remote with light.

Linking Code Instructions





Linking failed if light is not blinking slowly, Please follow above steps again. (Note: Light that have linked can't link again)

Unlinking Code Instructions





Unlinking failed if light is not blinking quickly, Please follow above steps again. (Note: Light haven't linked that don't need to unlink)

Attention

- 1. If indicator light flashes quickly when using, please replace battery in time. Do not use poor quality battery in case of leaving out liquid to damage remote.
- 2. Do not use remote in a large-scale metal area or an area with strong electromagnetic waves nearby, otherwise will affect communication distance seriously.



Made in China